

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S56	0	(fn Fowler Nordheim) and (((438/17,18,11,for.101,for.102,for.142).CCLS.) and @pd>="20040217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:32
L1	1	(fn Fowler Nordheim) and (((438/17,18,11,for.101,for.102,for.142).CCLS.) and @pd>="20041015")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:32
S67	2	("5561387").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:24
S66	4	measur\$3 near2 voltage with (fn Fowler Nordheim) near2 tunnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 08:24
S65	2501907	measur\$3 voltage with (fn Fowler Nordheim) near2 tunnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 08:20
S64	0	measur\$3voltage with (fn Fowler Nordheim) near2 tunnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 08:20
S63	1829	voltage with (fn Fowler Nordheim) near2 tunnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 08:20
S62	1739	voltage with (fn Fowler Nordheim) near tunnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 08:20